DESIGN GUIDELINES FOR PRIVATELY OWNED PUBLIC SPACES

The Design Guidelines for Privately Owned Public Spaces (POPS) should be read in conjunction with the *Good Practice Guide for Privately Owned Public Spaces* in <u>Annex 3.</u> Developments that are required to provide public spaces must comply with the guidelines outlined in the table below.

GUIDELINES FOR DEVELOPMENTS REQUIRED TO PROVIDE POPS AND/OR SEEKING GFA EXEMPTION FOR FIRST-STOREY COVERED PUBLIC SPACE						
	PARAMETERS	DETAILS				
1	Urban Design Guidelines	1. Size & Configuration				
	Guideillies	 The public space area should be large enough to improve the amenity of the local area and serve as a meaningful space for users. As a guide, the public space area should be at least: 1sqm of public space area for every 50sqm of total development GFA; or 25% of the development's building footprint. (whichever is lower) Covered public spaces should have high volume of at least 2 storeys or an appropriate height in proportion to its size. At least 75% of the total public space area should consist of a contiguous space which is regular in shape, subject to detailed evaluation. 2. Access & Location				
		 The public space should be located at the first storey with a frontage onto a major street or pedestrian thoroughfare. The public space frontage should be open and unobstructed to allow for easy pedestrian access and be highly visible from the adjoining street or pedestrian thoroughfare. The access and circulation within the public space should be barrier-free and comply with BCA's universal design guidelines. 				
		 3. Public Seating & Amenities Public seating should be provided. The minimum requirement is: 1 seat/20sqm of public space area (1m of bench/ledge = 2 seats) A variety of seating to cater to different users, age groups and physical abilities is encouraged, e.g. seats with back and arm rests are highly encouraged to cater to the elderly; movable seats to allow for interaction, etc. The public space may include other amenities to encourage public use of the space, such as: 				

- Design Features: Public Art, Water Features;
- Furniture + Equipment: Tables, Play/Exercise Equipment,
 Built-in Lighting and Audio Equipment for events; and
- Services: Drinking Fountains, Wi-Fi Connection, Phone Charging Points.

4. Shade

- The public space should be well shaded to encourage public use throughout the day.
- Shade can be provided by integration within the building form, by adjacent buildings, trees, canopies/pergolas, adjustable umbrellas/awnings, and/or landscape elements.
- The material used to provide shade must not result in additional heat retention in the public space.
- Sun shadow study should be undertaken to demonstrate that sufficient shade is provided between 9am and 4pm. Shadow diagrams are to be studied for shadow cast on 21 Jun: at 9am, 12pm and 4pm. For each shadow diagram:
 - At least 50% of the total public space area is to be shaded;
 and
 - At least 50% of public space seating is to be shaded.

5. Signage

- An information plaque should be installed at a visible and fixed location near the main entrance of the public space.
- The plague should include the following information:
 - o Public Open Space logo measuring at least 30 cm by 30 cm;
 - o "Open to public 24 hours" statement;
 - o Public space owner and their contact information.
 - No smoking sign
- Refer to Annex 1-1 for the template file in PDF (editable in Adobe Illustrator) and high resolution logo image;
- All text on the signage should be highly contrasting with the background colour of the sign, at least 20mm in height, and in a highly legible font.
- The signage must be constructed of highly durable material such as metal or stone that is fully opaque and non-reflective.
- The signage should be integrated with other signage in the same vicinity (if any), to reduce visual clutter.

2 Operational Guidelines

- The public space:
 - Must be open to the public at all times;
 - Cannot be enclosed and cannot be converted to any other permanent uses in the future; and
 - Must remain as common property, in the event of strata subdivision.

		ORA within POPS, if any, must remain as common property (i.e. as part of the public space), in the event of strata subdivision.
3	Eligibility for GFA Exemption for First-Storey Covered Public Space	 To be eligible for GFA exemption, the first-storey covered public space should be within a development that is frequented by the general public and situated along popular pedestrian routes. These are typically:- Commercial developments / developments with significant commercial component (e.g. offices, business parks, shopping centres, hotels) or Civic & Community institutions and Educational institutions; and Located in Central Area, a Regional / Sub-Regional / Fringe Centre, a Growth Area (e.g. Tampines, Jurong East, Paya Lebar, Woodlands etc.) or a Town Centre.
4	Extent of GFA Exemption for First-Storey Covered Public Space	The GFA exemption applies to the entire covered area of the public space excluding Outdoor Refreshment Areas, if any.
5	(Optional) Outdoor Refreshment Area within POPS	1. Definition An outdoor unenclosed seating area serving a Food & Beverage (F&B) unit. 2. Use Primarily used for seating. ORA seating is not to be counted towards the required POPS seating provision. 3. Location To be located within Privately Owned Public Spaces (POPS) of commercial or mixed-use developments. ORA within POPS should not impede pedestrian movement, obstruct fire engine access, safeguarded through-block links, view corridors and any other public open spaces. 4. Height Maximum 5m, single storey.

5. Size

- The maximum allowable size for ORAs within POPS is up to 10% of the POPS area (see Fig.1);
- The area of the ORA shall not be calculated as part of the minimum required size for POPS as stipulated in the Design Guidelines for POPS¹. The remaining area of the POPS after deducting the ORA should be equal to or larger than the minimum size required for POPS;




Fig.1 Illustrated example for ORA within POPS

6. Structure

- Designed as outdoor, <u>unenclosed</u> dining areas;
- Umbrellas, retractable canopies and lightweight structures are allowed;
- Only loose tables, chairs and approved structures by relevant authorities are allowed;
- All furniture or opaque structures should not exceed 1.2m high;
- The extent of the ORAs is to be clearly demarcated with boundary markers which are not easily removable e.g. planters. All structures and furniture, including menu stands, displays and signage, must not encroach beyond the extent of the approved ORA.

7. Outdoor Kiosk for food preparation

Outdoor kiosk for food preparation can be allowed within the ORA boundary if they comply with the following guidelines:-

- Ancillary food preparation area up to 30sqm. Larger food preparation areas may be considered on a case-by-case, subject to evaluation;
- No major food preparation is allowed;
- All furniture or opaque panels, including doors and internal partitions should not exceed 1.2m high;
- Up to 4m width, with an additional 1m return, of the lightweight structure (if any) can be walled with full height opaque panels to

conceal equipment and storage. A wider width may be considered on a case-by-case basis, subject to evaluation;

- · Designed as contiguous with the seating area;
- For proposals in which an ORA within POPS is integrated with an Outdoor Kiosk for food preparation, the combined seating area and the Outdoor Kiosk should not exceed 150sqm.

8. Signage

Business names are allowed to be displayed on the awnings / structures. Any third-party advertisement signs or sponsor logos are not allowed as freestanding structures or to be displayed on the ORA structures. Any signs will require the written approval of Building and Construction Authority (BCA) prior to the installations.

9. Gross Floor Area


ORA within POPS will be considered as commercial GFA.

For developments which have maximised their development potential, the proposed ORA within POPS can be considered over and above the maximum intensity stipulated in the Master Plan for the site, subject to the overall 10% GFA bonus cap³ for each development and the payment of Temporary Development Levy (TDL) or Differential Premium (DP) whichever is applicable.

As per current practice, all additional GFA granted under the bonus GFA incentive schemes will not form the future development potential of the site upon redevelopment.

The additional GFA granted under this scheme will not be transferable for other uses elsewhere in the development.

³ Refer to Circular No: URA/PB/2009/03-DCG dated 29 April 2009 – Framework for Managing Bonus Gross Floor Area Incentives



OPEN TO PUBLIC 24 HOURS

Brought to you by:

[Company Name]
[Address Line 1]
[Address Line 2]
[Contact Number]
[Contact Email]

COMPANY LOGO

ANNEX 3

GOOD PRACTICE GUIDELINES FOR PRIVATELY OWNED PUBLIC SPACES (POPS)



CONTENTS

3.0

1.0	INTRODUCTION
1.1	WHAT IS PRIVATELY OWNED PUBLIC SPACE?
1.2	TYPES OF PRIVATELY OWNED PUBLIC SPACE
2.0	DESIGN GUIDELINES
2.1	PLANNING + LAYOUT Size, Location, Configuration/Shape, Open Space
2.2	ACCESS + CIRCULATION Access Points, Paths, Level Changes, Co-ordination
2.3	USER COMFORT Shade, Light, Air, Noise
2.4	LANDSCAPING Area, Softscape, Hardscape
2.5	AMENITIES Basic Amenities, Additional Amenities
2.6	SIGNAGE Location, Content, Material

FURTHER READING

1.0 INTRODUCTION

As Singapore's urban landscape grows denser with a higher population, the provision of well-designed public spaces within private developments will complement the provision of the public parks and open spaces to promote city life and make Singapore a more attractive city to live, work and play in.

These guidelines are intended to provide clear and practical advice to architects, landscape architects, building owners and developers, so as to promote better design and management of public open space across Singapore.

1.1 WHAT IS A 'PRIVATELY-OWNED PUBLIC SPACE'?

Privately owned public spaces (POPS) are dedicated public spaces within private development.

Property owners and developers are required to provide public spaces at certain development sites. These include:

- 1. New sites where public spaces are required as part of the Technical Conditions of Tender for Government Land Sales site; and
- Redevelopment sites where public spaces are required as part of the planning conditions for major Alterations & Additions works or redevelopment proposals.
 These include public space locations marked on URA's <u>Parks and Waterbodies Plan</u>.

Property owners and developers may also voluntarily provide such public open spaces to offer amenity to their development and the surrounding area.

1.2 TYPES OF PRIVATELY OWNED PUBLIC SPACE

Every privately owned public open space should be designed to respond to the design intent of the overall development as well as the surrounding context.

The most common types of privately owned public spaces are:

City Rooms Covered public spaces located at the 1st storey of the

building. They function as spaces for respite within the

dense urban built environment.

Plazas Outdoor public spaces that are typically paved, and

defined on two or more sides by buildings.

Urban Parks These spaces function as green lungs for the city while

enhancing the attractiveness of surrounding buildings.







Images: 1 Asia Square, © Asia Square, 2 ION Orchard. © STB

2.0 DESIGN GUIDELINES

The design guidelines are set out to safeguard the quality of privatelyowned public spaces and ensure that these spaces are well-utilised and serve as meaningful places for people for enjoy.

The guidelines set out to ensure that POPS are:

- 1. Integrated with the overall form of the development;
- 2. Accessible to all users and well connected to the surrounding area;
- Comfortable to use throughout the day and in a variety of weather conditions;
- Well provided with amenities to encourage active and passive recreation; and
- 5. Safe and secure for all users.

With the design guidelines as basic principles, designers should exercise creativity to create delightful public spaces through choice of materials (including colours and textures), the use of water elements, lighting to create light and shadows, as well as integration and placement of engaging street furniture and art works.

PRIVATELY OWNED PUBLIC SPACE

The guidelines cover six key areas:

- 1. Planning and Layout;
- 2. Access and Circulation;
- 3. User Comfort;
- 4. Landscaping;
- 5. Amenities; and
- 6. Signage

The recommendations included in this document serve as a good practice design guide and should not be considered as exhaustive.

For further reading on public space design, refer to 3.0 Further Reading.

APPLICATION OF THE GUIDELINES

All property owners, developers and qualified professionals are encouraged to refer to and adopt the guidelines.

The Design Guidelines will be used in the assessment of Development Applications for the design of POPS.



Image: Lasalle College of the Arts © Randy Loh

2.1 PLANNING + LAYOUT

The geometry and location of POPS should be considered upfront as part of the development during site planning. It should be an integral part of the overall form and architectural treatment of the development.

1. SIZE

- POPS should be large enough to improve the amenity of the area and be a meaningful space for users.
- As a guide, the total size of the POPS should be equal to (or greater than):
 - 1sqm of public space area for every 50sqm of total GFA of the development; or
 - o 25% of the 1st storey built footprint.
- The following areas should be excluded from calculation of POPS area:

Covered Walkways, Footpaths (within Road Reserve), Outdoor Refreshment Areas (ORA), and Vehicular Driveways

• POPS which are sheltered should have high volume of at least 2 storeys or an appropriate height in proportion to its size.

3. CONFIGURATION / SHAPE


• At least 75% of the total POPS area should consist of a contiguous space which is regular in shape.

2. LOCATION

• The public space frontage should be open and un-obstructed to allow for easy pedestrian access and-good visibility from the adjoining street /pedestrian thoroughfare.

4. OPEN SPACE

- POPS should provide an open space (free of permanent furniture) designed for passive recreation and temporary event use.
- The open space should generally be equal to (or greater than) 50% of the POPS area.



DESIGN GUIDELINES

ACCESS POINTS LEVEL CHANGES STREET FRONTAGE/ ACCESS POINT KEEP AN UNOBSTRUCTED AREA ADJACENT TO THE PLATFORM CHANGE

2.2 ACCESS + CIRCULATION

The POPS should be accessible to all users and well-connected to the adjoining street/pedestrian thoroughfare and neighbouring buildings. The access and circulation within POPS should be barrier-free and comply with BCA's universal design guidelines. It should not be enclosed or fenced in and should be open to public at all times.

1. ACCESS POINTS

- POPS should have a minimum of 2 public entry/exit points.
- The entry/exit points should ideally be on opposite sides of the space and located to
 provide the most direct connection to pedestrian thoroughfares and any nearby public
 transport options.

2. PATHS

- POPS should have pedestrian paths connecting the access points to building entries and design features/amenities within the POPS area.
- The paths should be extensive and without 'dead-ends'.

3. LEVEL CHANGES

- Access points should be at the same platform level as the adjoining footpath.
- Where a level change is required and/or proposed for the POPS:
 - o An unobstructed area adjoining to the platform change is to be provided;
 - o Any single level change should not be greater than +/- 600mm.

4. PEDESTRIAN VS VEHICULAR TRAFFIC

- POPS should be 'pedestrian only' zones.
- Where a vehicle drop-off point and/or car park access ramps is located adjacent to the POPS, pedestrian crossing points should be provided and clearly marked.
- Overall site planning should consider pedestrian, cyclist and vehicular movements and
 ensure that these are co-ordinated and de-conflicted to ensure safety and convenience for
 all users at peak periods.

2.3 USER COMFORT

POPS should be designed to provide users with comfort throughout the day and in a variety of weather conditions.

1. SHADE

- POPS should be well shaded to encourage public use throughout the day.
- Shade can be provided by integration within the building footprint, or by adjoining or adjacent buildings, trees, canopies/pergolas, adjustable umbrellas/awnings, and/or landscape elements.
- Sun shadow study is to be undertaken to demonstrate that sufficient shade is provided between 9 am and 4 pm. Shadow diagrams are to be studied for shadow cast on 21 June: at 9am, 12pm and 4pm. For each shadow diagram:
 - At least 50% of the POPS area is to be shaded; and
 - o At least 50% of POPS seating is to be shaded.


2. LIGHTING


- POPS should be attractively lit to create an environment which is welcoming and safe.
- Spaces should ideally be naturally lit during daylight hours and be artificially lit until 10pm to encourage night time use of the space.
- Night lighting should complement the overall lighting design for the development, and be guided by any prevailing night lighting guidelines for the area.
- Where the POPS is located within a Mixed Use Development and adjacent to/visible from residential units, night lighting design should maintain the amenity of residents and ensure that light is directed away from residential units.

EXAMPLE OF SHADOW DIAGRAMS

SOURCE: MARINA ONE DAP 2 REPORT, GUSTAFSON PORTER







12 PM 50% SHADED POPS AREA 75% SHADED SEATING



4 PM 90% SHADED POPS AREA 90% SHADED SEATING

Image © Gustafson Porter

3. VENTILATION

- POPS should be naturally ventilated and orientated to optimise prevailing wind conditions and create a comfortable, passively cooled environment throughout the day.
- Where necessary consider use of outdoor fans/mist systems to supplement passive cooling.

4. NOISE

- POPS should be protected from major external noise sources.
- Where necessary consider using water features and landscape elements to mask unwanted external noise.

5. EXHAUST VENTILATION DUCTS

- Exhaust ventilation ducts should not be located within or fronting POPS.
- These should be located and integrated within the building envelope and discharged away from public areas.

DESIGN GUIDELINES



2.4 LANDSCAPING

POPS should be lushly landscaped, to achieve Singapore's aspirations to be a 'City in a Garden'.

1. AREA OF SOFTSCAPE / HARDSCAPE

- POPS should include both softscape (grass, planter beds, trees) and hardscape (paving) elements to suit the development typology and the site context.
- The recommended areas of softscape are:
 - 10-20% of the POPS areas which are covered and/or planned for large scale/regular events use; and
 - o 20-40% of the POPS areas which are open-to-the-sky.
- POPS which comprise predominantly hardscape should include vertical greenery.

2. SOFTSCAPE

Trees

- POPS should include trees to provide shade in spaces which are open-to-the-sky.
- Spaces which are open-to-the-sky should include 1 tree/100sqm of POPS area.
- Tree species should be selected to suit the site conditions and space typology, and to ensure long term sustainable growth.
- Trees can be planted in raised planters where POPs are located above basement spaces or drainage canals.

Grass

• Grass is encouraged in larger spaces which are planned for active recreation by local area residents/workers e.g. informal sporting use, kite flying, etc.

Planter Beds

• Where possible, planter beds should be flushed with the ground, or raised to no more than 400-500mm above the finished floor level to create additional ledge seating.

3. HARDSCAPE

 Paving is encouraged in high-traffic areas/paths and for open spaces which are planned for large scale/regular events use.

Images: 1 Plaza Singapura © URA

2.5 AMENITIES

Amenities encourage people to stop, relax and enjoy the public space. Design of amenities should be inclusive to serve different uses and user groups.

1. BASIC AMENITIES

All POPS should include the following basic amenities:

A. Seating

- Seating should be located throughout the space and there should be a variety of seating to cater to different uses, age groups and physical abilities.
- As a guide, POPS should include at least 1 seat/20sqm of POPS area. (1 metre of bench/ledge = 2 seats).
- The different types of seating are: movable seating, and fixed seating such as seats and benches, walls, planter ledges, steps. As a guide:
 - o No more than 15% of seating should be on steps or ledges; and
 - o At least 50% of seats should have back and arm rests.
- Seats are to be made of durable and comfortable materials. Seats with materials which are highly heat absorbent should be located in shaded areas.

B. Bicycle Parking

• POPS should include bike racks directly adjacent but not within/inside the space.

2. ADDITIONAL AMENITIES

- Large POPS should consider additional amenities, such as:
 - Design Features : Public Art, Water Features
 - Furniture + Equipment: Movable Seating, Tables, Play/Exercise Equipment,
 Built-in Lighting and Audio Equipment for events
 - $\circ \quad \textit{Services for Public Use: Drinking Fountains, Wi-Fi, Phone Charging Points} \\$
- As a guide, additional amenities should be provided as follows:

POPS Area	Additional Types of Amenities Req'd
500-1,000 sqm	1
1,000 – 2,000 sqm	2
Over 2,000 sqm	3











Images 1 © Asia Square; 3 © Travel Drafts; 2, 4, 5 © URA

2.6 SIGNAGE

The provision of clear, visible, and readable signage is essential to identify POPS as accessible to the public, and inform the public about the provider of the public space.

1. LOCATION

• An information plaque is to be installed at a visible and fixed location near the main entrance of the public space.

2. CONTENT

- The information plaque is to contain the following information:
 - o Public Open Space logo measuring at least 30 cm by 30 cm;
 - o "Open to public 24 hours" statement;
 - Public space owner and their contact information.
 See image on the right for example. Please refer to <u>Annex 1-1</u> of <u>Circular URA/PB/2022/07-AUDG</u> on POPS Design Guidelines for template of the logo.
- All text on the signage is to be highly contrasting with the background colour of the sign, at least 20mm in height, and in a highly legible font.

3. MATERIAL

• The signage must be constructed of highly durable materials such as metal or stone that are fully opaque and non-reflective.

POPS signage should be integrated with other signages within the development, and in the same vicinity where possible to reduce visual clutter.



OPEN TO PUBLIC 24 HOURS

Brought to you by:

[Company Name] [Address Line 1] [Address Line 2] [Contact Number] [Contact Email]



3.0 FURTHER READING

Carmona, Matthew and T. Heath, T. Oc, S. Tiesdell. *Public Places, Urban Spaces: The Dimensions of Urban Design*. Architectural Press. Burlington, MA. 2003.

Carmona, Matthew and C. Magalhaes, L. Hammond. *Public Spaces: The Management Dimension*. Routledge. New York. 2008.

Gehl, Jan. Cities for People. Island Press. 2010.

Gehl, Jan. Life between Buildings: Using Public Space. Island Press. 2011.

Lynch, Kevin. Site Planning. Cambridge, Mass.: MIT Press. 1962.

Marcus, Clare Cooper and Francis, Carolyn. *People Places: Design Guidelines for Urban Open Spaces* 2nd Ed. John Wiley and Sons, Inc. 1998.

Whyte, William H. City: Rediscovering the Centre. Doubleday. 1988.

Whyte, William H. *The Social Life of Small Urban Spaces*. The Conservation Foundation. Washington DC. 1980.