## **Checklist of LRA Requirements for Public Sector Developments**

Please ensure your proposal complies with the respective landscaping requirements below. More details of these requirements are found in the 'Greenery' section of URA's Development Control handbooks <a href="https://example.com/here">here</a>.

For any non-compliances, please submit a waiver request <u>here</u> and provide the necessary justifications for URA's further assessment.

	Band 1 Developments	Band 2 Developments
Requirements	(General Developments i.e. office	(Infrastructure and Security Developments
	developments and/or those intended to	with restricted access to the general public)
	provide services to the public)	
Landscape	Min 100%	-
Replacement Area	(inclusive of min 40% softscape)	
(LRA) (as % of site		
area)		
Softscape (as % of site	Min 40%	
area)		
Inaccessible Greenery	Max 10%	
(as % of site area)		

## Detailed Information to be provided to URA for assessment

- 1. Declaration of the overall Landscape Replacement Area (LRA), Softscape, Inaccessible Greenery and Green Plot Ratio provision for the entire development
- 2. Overall Green Plot Ratio computation
- 3. Landscaping plans, with cross sections and perspectives
- 4. Layout of the softscape and hardscape areas, clearly indicating all items that cannot be counted as Landscape Replacement Area, e.g. structure, key circulation, etc.
- 5. Proposed schedule of plant species and paving materials, as well as the layout of plant species at the softscape/ green walls/ green roofs.
- 6. Annotations in the landscape plans to show the proposed plant species and paving materials corresponding to the schedule, and the proposed uses e.g. Swimming Pool, BBQ Area, etc.
- 7. Sections showing the depth of all the proposed planting beds/vertical greenery for Landscape Replacement Areas.
- 8. Relevant perspectives showing the proposed plant species, as-built outcome and spatial quality.
- 9. Short statement on the proposed maintenance and irrigation methods for the planting.
- 10. Annotation of the 45-degree line, where relevant (for proposed GFA exemptions under Sky Terrace and Covered Communal Ground Garden schemes)
- 11. Indication of proposed system for vertical greenery/ extensive green roofs, if any.